



Sun Ultra™ 5 and Ultra 10 Product Notes

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303-4900 U.S.A.
650-960-1300

Part No. 806-6750-11
November 2000, Revision A

Send comments about this document to: docfeedback@sun.com v4

Copyright 2000 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303-4900 U.S.A. All rights reserved.

This product or document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, AnswerBook2, docs.sun.com, Java, Java 3D, mediaLib, ShowMe TV, StarOffice, SunForum, Ultra, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2000 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303-4900 Etats-Unis. Tous droits réservés.

Ce produit ou document est distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, AnswerBook2, docs.sun.com, Java, Java 3D, mediaLib, ShowMe TV, StarOffice, SunForum, Ultra, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFAÇON.



Declaration of Conformity

Compliance ID: 200
Product Name: Sun Ultra 5 Family (applies only to systems bearing an E-Z label marked with the letter D)

EMC

USA—FCC Class B

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

European Union—EC

This equipment complies with the following requirements of the EMC Directive 89/336/EEC:

EN55022 (1998)/CISPR22 (1997)	Class B
EN550024 (1998)	EN61000-4-2 4 kV (Direct), 8 kV (Air)
	EN61000-4-3 3 V/m
	EN61000-4-4 1.0 kV Power Lines, 0.5 kV Signal DC & Power Line
	EN61000-4-5 1.0 kV AC Line-Line & Outdoor Signal Lines 2 kV AC Line-Gnd, 0.5 kV DC Power Lines
	EN61000-4-6 3 V
	EN61000-4-8 1 A/m
	EN61000-4-11 Pass
EN61000-3-2 w/Am. 1, 2 (1995)	Pass
EN61000-3-3 (1995)	Pass

Safety

This equipment complies with the following requirements of the Low Voltage Directive 73/23/EEC:

EC Type Examination Certificates:

EN60950, 2nd Edition, Am. 1, 2, 3, 4, 11 (1992)	TUV Rheinland Certificate # S 9754625
IEC 950, 2nd Edition, Am. 1, 2, 3, 4 (1991)	
Evaluated to all CB Countries	CB Scheme Certificate # DE 2-001633

Supplementary Information

This product was tested and complies with all the requirements for the CE Mark (when connected to a Sun workstation or server).

/S/

Dennis P. Symanski
Manager, Product Compliance

DATE

Sun Microsystems, Inc.
901 San Antonio Road, M/S UMPK15-102
Palo Alto, CA 94303, USA

Tel: 650-786-3255
Fax: 650-786-3723

/S/

Peter Arkless
Quality Manager

DATE

Sun Microsystems Scotland, Limited
Springfield, Linlithgow
West Lothian, EH49 7LR
Scotland, United Kingdom

Tel: 0506-670000
Fax: 0506 760011

Declaration of Conformity

Compliance ID: 201
Product Name: Sun Ultra 10 Family (applies only to systems bearing an E-Z label marked with the letter D)

EMC

USA—FCC Class B

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

European Union—EC

This equipment complies with the following requirements of the EMC Directive 89/336/EEC:

EN55022 (1998)/CISPR22 (1997)	Class B
EN550024 (1998)	EN61000-4-2 4 kV (Direct), 8 kV (Air)
	EN61000-4-3 3 V/m
	EN61000-4-4 1.0 kV Power Lines, 0.5 kV Signal DC & Power Line
	EN61000-4-5 1.0 kV AC Line-Line & Outdoor Signal Lines 2 kV AC Line-Gnd, 0.5 kV DC Power Lines
	EN61000-4-6 3 V
	EN61000-4-8 1 A/m
	EN61000-4-11 Pass
EN61000-3-2 w/Am. 1, 2 (1995)	Pass
EN61000-3-3 (1995)	Pass

Safety

This equipment complies with the following requirements of the Low Voltage Directive 73/23/EEC:

EC Type Examination Certificates:

EN60950, 2nd Edition, Am. 1, 2, 3, 4, 11 (1992)	TUV Rheinland Certificate # S 9754628
IEC 950, 2nd Edition, Am. 1, 2, 3, 4 (1991)	
Evaluated to all CB Countries	CB Scheme Certificate # DE 2-001629

Supplementary Information

This product was tested and complies with all the requirements for the CE Mark (when connected to a Sun workstation or server).

/S/

Dennis P. Symanski
Manager, Product Compliance

DATE

Sun Microsystems, Inc.
901 San Antonio Road, M/S UMPK15-102
Palo Alto, CA 94303, USA

Tel: 650-786-3255
Fax: 650-786-3723

/S/

Peter Arkless
Quality Manager

DATE

Sun Microsystems Scotland, Limited
Springfield, Linlithgow
West Lothian, EH49 7LR
Scotland, United Kingdom

Tel: 0506-670000
Fax: 0506 760011

Sun Ultra 5 and Ultra 10 Product Notes

The following product notes contain information about changes to the Sun Ultra™ 5 and Sun Ultra 10 system hardware, software, and product documentation. These product notes are a summary of the changes that became known after the product documentation set was published.

This product note contains information on the following topics:

- Preinstalled Software
- Restoring the Preinstalled Software
- New Power Supply
- New 20 Gigabyte Hard Disk Drive
- New 48x CD-ROM Drive

Preinstalled Software

Your Sun Ultra 5 or Ultra 10 system has two versions of the Solaris™ operating environment software already installed on its new hard disk: Solaris 7 11/99 (instead of Solaris 7 3/99) and Solaris 8 software. In the *Sun Ultra 5 With Preinstalled Software Getting Started Guide*, 806-0162, or the *Sun Ultra 10 With Preinstalled Software Getting Started Guide*, 806-0163, the information pertaining to the operating environment is also true of the current preinstalled software, including the information about initial configuration in the sections “Using the System as a Desktop Workstation” and “Using the System as a Server”.

Summary of Preinstalled Software Suites

The Solaris 8 preinstalled software suite has the latest versions of the software. However, the Solaris 7 11/99 preinstalled software suite is also supplied for the convenience of those using the older software versions on existing systems. Table 1 summarizes the software suites. This table replaces Table 2 in the *Sun Ultra 5 With Preinstalled Software Getting Started Guide*, 806-0162, and in the *Sun Ultra 10 With Preinstalled Software Getting Started Guide*, 806-0163. Note the new version numbers.

TABLE 1 Summary of Preinstalled Software Suites

Solaris 7 11/99 Preinstalled Software	Solaris 8 Preinstalled Software
Solaris 7 11/99 operating environment	Solaris 8 operating environment
Solaris 7 11/99 AnswerBook 2 documentation	Solaris 8 AnswerBook2 documentation
Java™ Development Kit 1.1.7 and Java 2 Software Development Kit 1.2.1	Java 2 Software Development Kit 1.2.2
Java Plug-In 1.1.1	Java Plug-In 1.2.1
Java 3D™ 1.1.1	Java 3D 1.1.2
Java Media Framework 2.1	Java Media Framework 2.1
Netscape™ Communicator 4.5	Netscape Communicator 4.7
OpenGL® 1.2	OpenGL 1.2.1
PC launcher 1.0.1	PC launcher 1.0.1
ShowMe TV™ 1.3	ShowMe TV 1.3
SunForum™ 3.1	SunForum 3.1
ODBC Driver Manager 2.11	
mediaLib™ 1.2	
StarOffice™ 5.2	StarOffice 5.2
	Apache Server 1.3.9
	Perl 5
	Java Communications API 2.0

Note – To start Netscape Communicator, click on the globe/clock icon on the CDE desktop task bar. Netscape Communicator has built-in help files for more information.

Restoring the Preinstalled Software

You might want to make and keep a full backup of the operating system, which can be used to restore your system. Instructions for backing up your operating system are included in the preinstalled *Solaris System Administration Guide AnswerBook2*.

The following table summarizes the default disk configurations and partitioning for both the Solaris 7 11/99 and the Solaris 8 preinstalled software, after the user has completed initial configuration. The table replaces Table 4 in the *Sun Ultra 5 With Preinstalled Software Getting Started Guide*, 806-0162, and in the *Sun Ultra 10 With Preinstalled Software Getting Started Guide*, 806-0163.

TABLE 2 Default Preinstalled Disk Configurations

Solaris 7 11/99 and Solaris 8 Preinstalled Disk Configurations			
Slice	Name	Size (MBytes)	Mounted as
0	root	6144	/
1	swap	512	NA
3	space	remainder	/space

New Power Supply

The new power supply complies with the latest European Community regulatory requirements. The Declarations of Compliance printed in the document replace the declarations in the front matter of the *Sun Ultra 5 Service Manual*, 805-7763, and in the *Sun Ultra 10 Service Manual*, 805-7764.

The new power supply automatically detects and adjusts for the AC line voltage. Therefore, the voltage select switch has been eliminated.

This information updates the following documentation:

- Section 6.1.2, “Replacing the Power Supply” in the *Sun Ultra 5 Service Manual*, 805-7763, and in the *Sun Ultra 10 Service Manual*, 805-7764.
- The section “Cabling the System and Peripherals” in the *Sun Ultra 5 With Preinstalled Software Getting Started Guide*, 806-0162, and in the *Sun Ultra 10 With Preinstalled Software Getting Started Guide*, 806-0163.

Note – If your system contains the new power supply, the label bearing the serial number is marked with the letter D. This label, also known as the E-Z label, is on the back bezel. The information on the E-Z label helps service support identify the original system configuration when users call for assistance, support, and parts.

New 20 Gigabyte Hard Disk Drive

The Sun Ultra 5 and Ultra 10 systems are equipped with a 20 Gigabyte hard drive. The hard drive operates at 7,200 RPM. The procedures in the Sun Ultra 5 and Sun Ultra 10 Getting Started Guides and Service Manuals describe how to remove and replace the hard drive.

Note – Prior to installing a hard disk drive, verify that the back panel mode-select jumper is set to CS.

New 48x CD-ROM Drive

The new CD-ROM drive runs at 48x speed. The procedures in the Sun Ultra 5 and Sun Ultra 10 Getting Started Guides and Service Manuals describe how to remove and replace the CD-ROM drive.

Note – Prior to installing a CD-ROM drive, verify that the back panel mode-select jumper is set to MA.
